

**IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER**  
**Monitoring Reporting Requirements Not Met for**  
**WEIRTON AREA WATER BOARD WV3300516**

Our water system violated drinking water monitoring requirements. Even though these were not emergencies, you, as our customers, have a right to know what happened and what we did to correct the situation.

*We are required to monitor your drinking water on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During periods listed in the table below, we did not monitor or test as required and therefore cannot be sure of the quality of our drinking water during that time.*

**What should I do?**

At this time, there is nothing you need to do.

The table below lists the monitoring we did not conduct, other violations, and the associated compliance period.

<b>Monitoring Violation</b>	<b>Year-Fed Report #</b>	<b>Monitoring Frequency</b>	<b>Compliance Period</b>
03, MONITORING, ROUTINE MAJOR NITRITE (CNO2) Results Not Submitted	FY2026 - 14233	3Y 202301	2023-2025
03, MONITORING, ROUTINE MAJOR SYNTHETIC ORGANICS 2 (SC02) Results Not Submitted	FY2026 - 14215	3Y 202301	2023-2025
03, MONITORING, ROUTINE MAJOR RADIONUCLIDES (CRAD) Results Not Submitted	FY2026 - 14240	6Y 2020-2025	2020-2025
WB, CHLORINE, MOR Incomplete/Not submitted as Required or Missing Res. Cl from Coliform Result	FY2026 - 535809	Monthly	Sept 2025

**What happened? What is being done?**

The samples listed above were not collected during the required compliance timeframe. To prevent this from happening again, a sampling schedule will be followed. Nitrite, Synthetic Organics, and Radionuclides have since been collected and all have returned as Non-Detect (ND) or concentrations below the Maximum Contaminant Level (MCL).

For more information, please contact the Weirton Water Treatment Plant at 304-797-8566 or 3031 Birch Dr., Weirton, WV 26062.

*Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.*

Date Prepared: April 21, 2026

Date Distributed : June 11, 2026